Environmental Protection Agency

(trifluoromethoxy)phenyl]amino]carbonyl]indeno[1,2e][1,3,4] oxadiazine-4a(3H)-carboxylate; IN-KT319, (E)-methyl 5-chloro-2,3,dihydro-2-hydroxy-1-[[[(methoxycarbonyl)[4-(trifluoromethoxy)phenyl]amino]-carbonyl]hydrazono]-1H-indene-2carboxylate; IN-JU873, methyl chloro-2,3-dihydro-2-hydroxy-1-[[[[4-(triflurormethoxy)phenyl]amino]carbonyl]hydrazono]-1Hindene-2-carboxylate; IN-KG433, meth-5-chloro-2,3,-dihydro-2-hydroxy-1-[[[(methoxycarbonyl)[4-(trifluoromethoxy)phenyl] amino] carbonyl]-hydrazono]-1 H- indene-2-carboxylate; and IN-KB687, methyl Г4-(trifluoromethoxy)phenyl]carbamate, calculated as the stoichiometric equivalent of indoxacarb in the commodity.

Commodity	Parts per million
Egg Poultry, fat Poultry, meat Poultry, meat byproducts	0.20 0.20 0.06 0.06

- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[65 FR 58424, Sept. 29, 2000, as amended at 67 FR 41807, June 19, 2002; 67 FR 47309, July 18, 2002; 67 FR 58730, Sept. 18, 2002; 68 FR 25830, May 14, 2003; 68 FR 27746, May 21, 2003; 69 FR 28842, May 19, 2004; 69 FR 29459, May 24, 2004; 69 FR 32282, June 9, 2004; 72 FR 37641, July 11, 2007; 74 FR 33165, July 10, 2009; 77 FR 8749, Feb. 15, 2012; 78 FR 78738, Dec. 27, 2013]

§ 180.565 Thiamethoxam; tolerances for residues.

(a) General. Tolerances are established for residues of the insecticide thiamethoxam, including its metabolites and degradates, in or on the following commodities. Compliance with the tolerance levels specified below is to be determined by measuring only thiamethoxam 3-[(2-chloro-5thiazolyl)methyl]tetrahydro-5-methyl-N-nitro-4H-1,3,5-oxadiazin-4-imine and its metabolite CGA-322704 N-[(2-chlorothiazol-5-yl)methyl]-N'-methyl-N"nitro-guanidine, calculated as the stoichiometric equivalent of thiamethoxam, in or on the following commodities:

Commodity	Parts per million
Alfalfa, forage	0.05
Alfalfa, hay	0.12
Almond, hulls	1.2
Artichoke, globe	0.45 0.40
Barley, grain	0.40
Barley, hay	0.40
Barley, straw	0.40
Bean, succulent	0.02
Berry, low growing, subgroup 13-07G, except	0.30
cranberry Borage, seed	0.30
Brassica, head and stem, subgroup 5–A	4.5
Brassica, leafy greens, subgroup 5-B	3.0
Buckwheat, forage	0.50
Buckwheat, hay	0.02
Bushberry subgroup 13–07B, except lingonberry	0.02
and blueberry, lowbush	0.20
Caneberry subgroup 13-07A	0.35
Canistel	0.40
Canola, seed	0.02
Cattle, meat	0.02 0.04
	0.60
Citrus, dried pulp Coffee, green, bean 1	0.20
Corn, field, forage	0.10
Corn, field, stover	0.05
Corn, pop, forage	0.10
Corn, sweet forage	0.05 0.10
Corn, sweet, forage Corn, sweet, kernel plus cob with husks re-	0.10
moved	0.02
Corn, sweet, stover	0.05
Cotton, gin byproducts	1.5
Cotton, undelinted seed	0.10
Crambe, seed	0.02 0.02
Flax, seed	0.02
Food commodities and feed commodities (other	
than those covered by a higher tolerance as a	
result of use on growing crops) in food/feed	0.00
handling establishments Fruit, citrus, group 10	0.02 0.40
Fruit, pome, group 11	0.40
Fruit, pome, group 11 Fruit, small, vine climbing, subgroup 13–07F,	
except fuzzy kiwifruit	0.20
Fruit, stone, group 12	0.5
Goat, meat	0.02 0.04
Grain, aspirated fractions	2.0
Grain, cereal, group 15, except barley	0.02
Grape, raisin	0.30
Hog, meat	0.02
Hog, meat byproducts	0.02 0.10
Hop, dried cones	0.10
Horse, meat byproducts	0.04
Mango	0.40
Milk	0.02
Millet, pearl, stoyer	0.02
Millet, pearl, stover	0.02 0.02
Millet, proso, stover	0.02
Millet, proso, straw	0.02
Mustard, seed	0.02
Nut, tree, group 14	0.02
Oat hav	0.50
Oat, hay Oat, straw	0.02 0.02
Onion, dry bulb	0.02
Papaya	0.40
Peanut	0.05

§ 180.566

Commodity	Parts per million
Peanut, hay	0.25
Peanut, meal	0.15
Peppermint, tops	1.5
Pistachio	0.02
Potato	0.25
Radish, tops	0.80
Rapeseed, seed	0.02
Rye, forage	0.50
Rye, straw	0.02
Safflower, seed	0.02
Sapodilla	0.40
Sapote, black	0.40
Sapote, mamey	0.40
Sheep, meat	0.02
Sheep, meat byproducts	0.04
Sorghum, forage	0.02
Sorghum, grain, stover	0.02
Soybean, hulls	0.08
Spearmint, tops	1.5
Star apple	0.40
Sunflower	0.02
Tea, dried 1	20
Tomato, paste	0.80
Vegetable, cucurbit, group 9	0.2
Vegetable, fruiting, group 8	0.25
Vegetable, leafy, except brassica, group 4	4.0
Vegetable, legume, group 6	0.02
Vegetable, root, subgroup 1A	0.05
Vegetable, tuberous and corm, except potato,	
subgroup 1D	0.02
Wheat, forage	0.50
Wheat, hay	0.02
Wheat, straw	0.02

¹There are no U.S. registrations as of March 27, 2013.

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

 $[65\;\mathrm{FR}\;79762,\,\mathrm{Dec.}\;20,\,2000]$

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §180.565, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 180.566 Fenpyroximate; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the insecticide fenpyroximate, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified in the table is to be determined by measuring only the fenpyroximate, (E)-1,1-dimethylethyl 4-[[[[(1,3-dimethyl-5-phenoxy-1*H*-pyrazol-4-yl)methylenelaminoloxylmethyllbenzoate and its Z-isomer, (Z)-1,1dimethylethyl 4-[[[[(1,3-dimethyl-5phenoxy-1*H*-pyrazol-4-yl)methylene]

amino]oxy]methyl]benzoate, calculated as the stoichiometric equivalent of fenpyroximate.

Commodity	Parts per million
Almond, hulls	3.0
Avocado	0.15
Bean, snap, succulent	0.40
Berry, low growing, subgroup 13-07G	1.0
Canistel	0.15
Citrus, dried pulp	2.5
Citrus, oil	10
Corn, field, forage	2.0
Corn, field, grain	0.02
Corn, field, refined oil	0.05
Corn, field, stover	7.0
Corn, pop, forage	2.0
Corn, pop, grain	0.02
Corn, pop, stover	7.0
Cotton, gin byproducts	10
Cotton, undelinted seed	0.10
Cucumber	0.40
Fruit, citrus, group 10-10	0.50
Fruit, pome, group 11–10	0.30
Fruit, small, vine climbing, except fuzzy	
kiwifruit, subaroup 13-07F	1.0
Fruit, stone, group 12-12	2.0
Grain, aspirated fractions	0.40
Hop, dried cones	10
Mango	0.15
Melon subgroup 9A	0.10
Nut, tree, group 14	0.10
Papaya	0.15
Peppermint, tops	7.0
Pistachio	0.10
Sapodilla	0.15
Sapote, black	0.15
Sapote, mamey	0.15
Spearmint, tops	7.0
Star, apple	0.15
Tea, dried 1	20
Vegetable, fruiting, group 8-10	0.20
Vegetable, tuberous and corm, subgroup 1C	0.10

¹ There are no U.S. Registrations.

(2) Tolerances are established for residues of the insecticide fenpyroximate, including its metabolites degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified in the table is to be determined by measuring only the sum of fenpyroximate, (E)-1,1dimethylethyl 4-[[[(1,3-dimethyl-5phenoxy-1*H*-pyrazol-4-yl)methylene] amino]oxy]methyl]benzoate and its metabolites (E)-4-[(1,3-dimethyl-5phenoxypyrazol-4-yl)-methyleneamino oxymethyl]benzoic acid and (E)-1,1dimethylethyl-2-hydroxyethyl 4-[[[(1,3dimethyl-5-phenoxy-1*H*-pyrazol-4-yl) methylene]amino]oxy]methyl]benzoate, calculated as the stoichiometric equivalent of fenpyroximate.

Commodity	Parts per million
Cattle, fat	0.03